

Message

From: Wagner, Christine [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=12068C1889924ECF96F692831F0C77D4-CWAGNE02]
Sent: 10/8/2020 3:28:14 PM
To: Nonresponsive based on revised scope
Subject: Fwd: review memos for Shiloh Church docs 200195.1 and 200196.1

Begin forwarded message:

From: "Gaige, Elizabeth" <Gaige.Elizabeth@epa.gov>
Date: October 6, 2020 at 9:49:16 AM EDT
To: "Wagner, Christine" <Wagner.Christine@epa.gov>
Subject: RE: review memos for Shiloh Church docs 200195.1 and 200196.1

Good morning Chris – The QAPP states that 150 ug/m3 will be used to determine particulate matter problems. What are the thresholds used to determine a problem for water or soil samples taken at the site? Maybe this is in a different section of the QAPP than the particulate matter threshold, but I didn't see it.

Does that clarify? Thanks, Elizabeth

From: Wagner, Christine <Wagner.Christine@epa.gov>
Sent: Tuesday, October 06, 2020 9:42 AM
To: Gaige, Elizabeth <Gaige.Elizabeth@epa.gov>
Subject: RE: review memos for Shiloh Church docs 200195.1 and 200196.1

Thank you Elizabeth for your prompt review.

I'm not sure what you mean in the FSP memo for "what thresholds are being used"? No radiological sampling is being performed. What do you mean by "thresholds" for water sampling? Not arguing here, just not sure I understand

Thank you!
Chris

*Christine Wagner
Federal On-Scene Coordinator
EPA Region III
804-337-3049*

From: Gaige, Elizabeth <Gaige.Elizabeth@epa.gov>
Sent: Monday, October 05, 2020 4:54 PM
To: Wagner, Christine <Wagner.Christine@epa.gov>
Cc: Long, Kia <Long.Kia@epa.gov>; Forren, John <Forren.John@epa.gov>; Ghimire, Aneesh <ghimire.aneesh@epa.gov>;

Caporale, Cynthia <Caporale.Cynthia@epa.gov>

Subject: RE: review memos for Shiloh Church docs 200195.1 and 200196.1

Hello Chris -

Attached are review letters for QA # 200195.1 and QA # 200196.1.

We will consider these reviews closed.

Thank you for the opportunity to review this Quality Assurance Project Plan and Field Sampling Plan.

Please contact me if you have any questions or concerns. Elizabeth

Elizabeth Gaige,
physical scientist
Applied Science and Quality Assurance Branch
Laboratory Services and Applied Sciences Division
EPA Region 3, Philadelphia
215.814.5676
gaige.elizabeth@epa.gov

From: Wagner, Christine <Wagner.Christine@epa.gov>

Sent: Wednesday, September 30, 2020 11:05 AM

To: Gaige, Elizabeth <Gaige.Elizabeth@epa.gov>

Cc: [REDACTED] Nonresponsive based on revised scope

[REDACTED] Nonresponsive based on revised scope Ghimire, Aneesh <ghimire.aneesh@epa.gov>; R3_QA <R3_QA@epa.gov>

Subject: RE: review memos for Shiloh Church docs 200195 and 200196

Good Morning Elizabeth,

Thank you for the expedited review of these documents. Attached please find the revisions to the documents which incorporate the recommended changes. We have submitted the ARF forms to Fort Meade and intend to perform sampling the week of 10/12/20. Please advise on next steps.

Thank you
Chris

*Christine Wagner
Federal On-Scene Coordinator
EPA Region III
804-337-3049*

From: Gaige, Elizabeth <Gaige.Elizabeth@epa.gov>

Sent: Wednesday, September 23, 2020 12:39 PM

To: Wagner, Christine <Wagner.Christine@epa.gov>

Cc: Long, Kia <Long.Kia@epa.gov>; Ghimire, Aneesh <ghimire.aneesh@epa.gov>; Forren, John <Forren.John@epa.gov>; Caporale, Cynthia <Caporale.Cynthia@epa.gov>

Subject: review memos for Shiloh Church docs 200195 and 200196

Hello Chris -

Attached are review letters for QA # 200195 and QA # 200196.

We will consider this review closed.

Thank you for the opportunity to review this Quality Assurance Project Plan and Field Sampling Plan.

Please contact me if you have any questions or concerns. Elizabeth

Elizabeth Gaige,
physical scientist
Applied Science and Quality Assurance Branch
Laboratory Services and Applied Sciences Division
EPA Region 3, Philadelphia
215.814.5676
gaige.elizabeth@epa.gov

From: Wagner, Christine <Wagner.Christine@epa.gov>
Sent: Monday, September 21, 2020 2:34 PM
To: R3_QA <R3_QA@epa.gov>
Cc: Long, Kia <Long.Kia@epa.gov>; Burns, Francis <Burns.Fran@epa.gov>
Subject: Shiloh Church Road Site - New request for review of FSP/QAPP

Good Afternoon,

Attached please find the QA Document Review Form and corresponding Field Sampling Plan and SSQAPP for the Shiloh Church Road Site. As the OSC for this Site, I am requesting expedited review because the previous two rounds of quarterly drinking water sampling was postponed because of COVID-19 restrictions. EPA needs to sample as soon as possible to ensure the mitigation measures are working properly. **AIR MONITORING AND FIELD SAMPLING PLAN
SHILOH CHURCH ROAD REMOVAL
NATHALIE, HALIFAX COUNTY, VIRGINIA**

By this message, I am also requesting my supervisor, Fran Burns, authorize the request for expediated review.

If you have any questions, please contact me at 804-337-3049.

Thank you
Chris

Christine Wagner
Federal On-Scene Coordinator
EPA Region III
804-337-3049

